# **Detection (CGH)**

# Section of Cancer Genomics, Genetics Branch, NCI National Institutes of Health

# Reagents

#### **Antibodies:**

**Avidin-FITC** 

Vector, Cat. A-2011

Biotinylated anti-avidin

Vector, Cat. BA0300

Goat anti rabbit TRITC

Sigma, Cat. T-5268

Mouse anti-DIG

Sigma, Cat. D-8156

Rabbit anti mouse TRITC

Sigma, Cat. T-2402

**Antifade (1,4-phenylene-diamine)** 

**Bovine Serum Albumin (BSA)** 

**DAPI** 

**Formamide** 

HCl, 1 M

20X SSC

Tween 20

Water, sterile

# **Preparation**

FA/SSC

20X SSC 30 ml dH<sub>2</sub>O 120 ml Formamide 150 ml

Adjust pH to 7-7.5 with 1M HCl

(200 ml of FA/SSC requires 500 µl of 1M HCl)

Prewarm to 45°C

#### 4X SSC/Tween 20

20X SSC 100 ml dH<sub>2</sub>O 400 ml Tween 20 0.5 ml

Prewarm to 45°C

#### 0.1X SSC

20X SSC 2.5 ml Add H<sub>2</sub>O to 500 ml

#### Prewarm to 60°C

**Note**: For the above wash solutions you need 70 ml for glass coplin jars and 50 ml for plastic jars per step.

## **Blocking Solution (3% BSA)**

Bovine serum albumin (powder) 0.3 g Pre-warmed (37°C) 4X SSC/Tween 20 10 ml

Vortex until dissolved at 37°C

## DAPI (80 ng/ml DAPI in 2X SCC)

Stock solution:

DAPI 2 mg Sterile water 10 ml

Working solution:

Stock solution 40 µl 2X SSC 100 ml

### **Antibodies**

Layer 1 avidin-FITC (1:200) + mouse-anti-DIG (1:200)

Layer 2 biotinylated anti-avidin (1:200) + rabbit anti mouse TRITC (1:200)

Layer 3 avidin-FITC (1:200) + goat anti rabbit TRITC (1:200)

NOTE: MAKE SURE SOLUTIONS ARE AT THE CORRECT TEMPERATURES BEFORE USING: CHECK WITH A THERMOMETER.

### **Procedure**

- 1. Remove rubber cement and coverslips from hybridized slides.
- 2. Wash slides in FA/SSC (use coplin jars), 3 x 5 min, shaking; first dip the slides into FA/SCC to remove coverslips.
- 3. Wash slides in 0.1X SSC, 3 x 5 min, shaking.
- 4. Dip slides in 4X SSC/Tween 20; do not let them dry.

- 5. Add 100 µl of Blocking Solution to 24 x 60 mm coverslips, touch slides to coverslips, and incubate in hybridization chamber at 37°C for about 30 min.
- 6. Dip slides in 4X SSC/Tween 20; do not let them dry.

Note: Spin all fluorescent dyes for 3 min at 13,000 rpm.

- 7. Antibodies: Add 100  $\mu$ l of prepared antibody solution (antibodies should be diluted in 1% BSA) to coverslip (use 24 X 60 mm), touch slide to coverslip, and incubate in hybridization chamber for 45-60 min at 37°C.
- 8. Wash slides in 4X SSC/Tween 20, 3 x 5 min, shaking.
- 9. Apply second and third antibody layers by repeating steps 7 and 8.
- 10. DAPI staining: stain for 5 min in foil-covered coplin jar.
- 11. Wash in 2X SSC for 10 min, shaking.
- 12. Apply 30-35 μl antifade, cover with 24 X 60 mm coverslip, and store in the dark at 4°C.